



TREATED TIMBER

"impralit-TSK 40" - Low Pressure



Beaconsfield Branch **01494 671 921** | Crawley Branch **01342 717 155**

www.timberstore.co.uk

Revision: 23.01.2024

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2024

Version number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name:impralit-TSK 40 treated timber
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

Playground structures and garden furniture

- **Application of the substance / the mixture**Timber
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

RÜTGERS Organics GmbH Oppauer Straße 43 D-68305 Mannheim Tel.: **49-621-76540 US: 1-980-253-8880

Fax: **49-621-7654446

e-mail: SDB.rog@ruetgers-organics.de

Impra Wood Protection Ltd.

Park Road Industrial Estate

Barrow in Furness Cumbria LA14 4EQ ·

 $UK \cdot$

Tel +44 (0) 1229 877533

- Informing department: see: Heading 16 (Contact)
- 1.4 Emergency telephone number:see: Manufacturer/Supplier

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Void
- Hazard pictograms Void
- Signal word Void
- Hazard statements Void
- Precautionary statements

P261Avoid breathing dust/fume/gas/mist/vapours/spray.

P280Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

• 2.3 Other hazards

General advice for untreated and treated timber:

Component Related Regulatory Information

This product may be regulated, have exposure limits or other information identified as the following: Wood dust, all soft and hard woods, Wood dusts-soft woods, Wood dusts-hard wood.

Emergency Overview

Wood dusts may cause irritation to the eyes, skin and respiratory tract.

Potential Health Effects: Inhalation

Wood dust is irritating to the nose, throat and lungs.

Prolonged exposure to wood dust by inhalation has been reported to be associated with nasal and paranasal cancer.

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB:Not applicable.

GB

Printing date 23.01.2024Version number 1 **Trade** Revision: 23.01.2024

name:impralit-TSK 40 treated timber

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Mixture consisting of the following components.
- Dangerous components: Void
- Additional informationFor the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information

Respiratory ailments and pre-existing skin conditions may be aggravated by exposure to wood dust.

- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact Wash your hands with water and soap before handling food and drink.
- After eye contactRinse opened eye for several minutes under running water.
- After swallowingIn case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

Combustion products may yield irritating and toxic fumes and gases including aldehydes, amines, ammonia, oxides of carbon and nitrogen.

- 5.3 Advice for firefighters
- Protective equipment:

Firefighters should wear full protective clothing including self contained breathing apparatus.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up:

Containment Procedures

No containment procedures are needed, as this product cannot spill or leak the preservative. Keep away from sparks and flame.

Clean-Up Procedures

Wear appropiate personal protective equipmen, avoid the generation of airborne dusts during cleanup. Do not inhale dusts during cleanup.

Special Procedures

Follow all Local, State, Federal and Provincial regulations for disposal.

• 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

-GE

Printing date 23.01.2024Version number 1 **Trade** Revision: 23.01.2024

name:impralit-TSK 40 treated timber

(Contd. of page 2)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear appropriate personal protective equipment. Wash hands after handling and before eating. Avoid contact of wood dusts with skin and eyes. Do not breathe wood dusts. Do not eat, drink or smoke when handling this material or in areas where dusts of this product are present.

• Information about protection against explosions and fires:

Do not generate airborne dusts in the presence of an ignition source when sawing, cutting or grinding wood.

- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- **Requirements to be met by storerooms and containers:** No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s)No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:
- Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Wash hands during breaks and at the end of the work.

Breathing equipment:

Not normally needed. Use a dust mask for particulate concentrations exceeding the Occupational Exposure Limit.

- Hand protectionWear gloves when handling materials.
- Material of gloves

The selection of the suitable gloves depends on the several factors including the timber species. We recommend impermeable gloves resistant to splinters and other timber hazards.

Penetration time of glove material

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

Wear safety glasses with side shields when handling, cutting, sanding or grinding this material. Use a face shield during processes that may generate excessive dusts and splinters. Eye wash fountain recommended.

• Body protection: Launder work clothes frequently.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- Physical stateSolid.
- Colour: Wood color or yellow. Odour: Nearly odourless
- Odour threshold: Not determined.
- Melting point/freezing point:Not determined
- Boiling point or initial boiling point and

boiling rangeNot determined

• Flammability Not determined.

(Contd. on page 4)

Printing date 23.01.2024Version number 1 **Trade** Revision: 23.01.2024

name:impralit-TSK 40 treated timber

(Contd. of page 3)

- Lower and upper explosion limit
- · Lower: Not determined.
- Upper:Not determined.
- Flash point: Not applicable
- **Decomposition temperature:** Not determined.
- pHMixture is non-soluble (in water).
- · Viscosity:
- Kinematic viscosityNot applicable.
- dynamic: Not applicable.
- Partition coefficient n-octanol/water (log

value) Not determined.

- Vapour pressure: Not applicable.
- Density and/or relative density
- Density at 20 °C0.52 g/cm³
- Relative density Not determined.
- · Vapour densityNot applicable.
- 9.2 Other information
- · Appearance:
- Form: Solid.
- Important information on protection of health and environment, and on safety.
- Self-inflammability: Product is not selfigniting.
- Explosive properties: Product is not explosive.
- · Solvent content:
- Organic solvents:0.0 %
- Water:0.2 %
- · Change in condition
- Evaporation rateNot applicable.
- Information with regard to physical hazard

classes

- Explosives Dust can form expolsive mixtures with air.
- Flammable gasesNot applicable.
- AerosolsNot applicable.
- Oxidising gasesNot applicable.
- Gases under pressure Not applicable.
- Flammable liquids Not applicable.
- Flammable solids Not determined.
- Self-reactive substances and mixtures Not determined.
- Pyrophoric liquids Not applicable.
- Pyrophoric solids Not determined.
- Self-heating substances and mixtures Not applicable.
- Substances and mixtures, which emit

flammable gases in contact with waterNot applicable.

- Oxidising liquidsNot applicable.
- Oxidising solidsNot determined.
- Organic peroxidesNot applicable.
- Corrosive to metals Not applicable.
- Desensitised explosives Not applicable.

SECTION 10: Stability and reactivity

- 10.1 ReactivityNo further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known

(Contd. on page 5)

Printing date 23.01.2024Version number 1 **Trade** Revision: 23.01.2024

name:impralit-TSK 40 treated timber

(Contd. of page 4)

10.4 Conditions to avoid

Keep away from excessive heat, sparks and open flame. Keep away from incompatible materials.

- 10.5 Incompatible materials: Strong acids, alkalis and oxidizing agents.
- 10.6 Hazardous decomposition products:

Combustion products may yield irritating and toxic fumes and gases including aldehydes, amines, ammonia, oxides of carbon and nitrogen.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicityBased on available data, the classification criteria are not met.
- Skin corrosion/irritationBased on available data, the classification criteria are not met.
- Serious eye damage/irritationBased on available data, the classification criteria are not met.
- Respiratory or skin sensitisationBased on available data, the classification criteria are not met.
- Germ cell mutagenicityBased on available data, the classification criteria are not met.
- CarcinogenicityBased on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposureBased on available data, the classification criteria are not met.
- STOT-repeated exposureBased on available data, the classification criteria are not met.
- Aspiration hazardBased on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

60207-90-1propiconazoleList II

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potentialNo further relevant information available.
- 12.4 Mobility in soilNo further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB:Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

Uncleaned packagings:

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

(Contd. on page 6)

23.01.2024Version number 1 Trade Revision: 23.01.2024 Printing date

name:impralit-TSK 40 treated timber

(Contd. of page 5)

• Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

- 14.1 UN number or ID number
- ADR, IMDG, IATANot applicable
- 14.2 UN proper shipping name
- ADR, IMDG, IATANot applicable
- 14.3 Transport hazard class(es)
- · ADR, ADN, IMDG, IATA
- ClassNot applicable
- 14.4 Packing group
- ADR, IMDG, IATANot applicable
- 14.5 Environmental hazards: Not applicable.
- 14.6 Special precautions for userNot applicable.
- 14.7 Maritime transport in bulk according to

IMO instrumentsNot applicable.

• UN "Model Regulation": Not applicable

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

7632-00-0sodium nitriteListed

- Directive 2012/18/EU
- Named dangerous substances ANNEX INone of the ingredients is listed.
- National regulations
- Other regulations, limitations and prohibitive regulations-
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. It is the responsibility of the user to assure himself that the information provided with this material safty data sheet is complete and applicable for his utilization of the product.

• Department issuing data specification sheet: Product safety department, Mannheim

(Contd. on page 7)

Printing date 23.01.2024Version number 1 **Trade** Revision: 23.01.2024

name:impralit-TSK 40 treated timber

(Contd. of page 6)

Contact: RÜTGERS Organics Product Safety Tel. **49 / 621 7654 247

Impra Wood Protection Ltd. Tel +44 (0) 1229 877533

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

• * Data compared to the previous version altered.

GB